

# Computer Projects of Illinois, Inc

## Accessibility Conformance Report

VPAT® Version 2.1

February 11, 2019



400 Quadrangle Drive, Suite F  
Bolingbrook, IL 60440  
(630) 754-8820

**Name of Product/Version:** OpenFox® Desktop

**Product Description:** The OpenFox® Desktop software package consists of two components: a rich desktop application and a collection of web content to support the application (the “Product”). The desktop application is a Java application installed and deployed through an Internet Browser via Java Web Start technology. The web content is a collection of three web pages that allow the user to launch the desktop application, view product documentation, and download the Java Runtime Environment installation package. The web content supports the accessibility standards listed under the WCAG 2.0 level A and level AA sections.

**Date:** February 11, 2019

**Contact information:** Maria A. Martinez, [mmartinez@openfox.com](mailto:mmartinez@openfox.com)

**Notes:** This is a voluntary assessment of how OpenFox® Desktop and related software modules meet industry standards for accessibility, as identified in the Section 508 Amendment to Rehabilitation Act of 1973. OpenFox® Desktop is a software application. It does not include any tangible telecommunication products, video or multimedia products, self-contained closed products, or desktop and portable computers.

**Evaluation Methods Used:** OpenFox® Desktop was tested using assistive technology and based on general product knowledge.

## Applicable Standards/Guidelines

This report generally describes CPI's current view of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0, at <a href="http://www.w3.org/TR/2008/REC-WCAG20-20081211/">http://www.w3.org/TR/2008/REC-WCAG20-20081211/</a>	Level A (Yes ) Level AA (Yes ) Level AAA (No )
<u>Revised Section 508 standards</u> as published by the U.S. Access Board in the Federal Register on January 18, 2017 <u>Corrections to the ICT Final Rule</u> as published by the US Access Board in the Federal Register on January 22, 2018	(Yes )
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe, - V1.1.2 (2015-04) at <a href="http://mandate376.standards.eu/standard">http://mandate376.standards.eu/standard</a>	(No)

## Terms

- **CPI:** Computer Projects of Illinois, Inc., the owner and developer of the Product.
- **Product:** The OpenFox® Desktop software package consisting of two components: a rich desktop application and a collection of web content to support the application.
- **Supports:** The functionality of the product has at least one method that meets the criterion or equivalent facilitation without known defects.

- **Supports with Exceptions:** Some functionality of the product does not meet the criterion or equivalent facilitation.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.
- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

## WCAG 2.0 Report

Tables 1 and 2 also document CPI's current view of conformance with:

- EN 301 549: Chapter 9 - Web, Chapter 10 - Non-Web documents, Section 11.2.1- Non-Web Software (excluding closed functionality), and Section 11.2.2 - Non-Web Software (closed functionality).
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.0 Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

**Table 1: Success Criteria, Level A**

Criteria	Conformance Level	Remarks and Explanations
<u><a href="#">1.1.1 Non-text Content</a></u> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>• 9.2.1 (Web)</li> <li>• 10.2.1 (non-web document)</li> <li>• 11.2.1.1 (Software)</li> </ul>	Supports	All elements, including input controls, anchor elements, label elements, and image elements use title and/or alt attributes to provide text alternatives.

<ul style="list-style-type: none"> <li>11.2.2.1 (Closed Functionality Software)</li> <li>11.6.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<p><b><u>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</u></b></p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.2 (Web)</li> <li>10.2.2 (non-web document)</li> <li>11.2.1.2 (Software)</li> <li>11.2.2.2.1 and 11.2.2.2.2 (Closed Software)</li> <li>11.6.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<b>Not Applicable</b>	<p>The web content does not include any pre recorded audio-only or video-only media.</p>
<p><b><u>1.2.2 Captions (Prerecorded) (Level A)</u></b></p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.3 (Web)</li> <li>10.2.3 (non-web document)</li> <li>11.2.1.3 (Software)</li> <li>11.2.2.3 (Closed Software) – Does not apply</li> <li>11.6.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>	<b>Not Applicable</b>	<p>The web content does not include any pre recorded audio content.</p>

2017 Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<b><a href="#">1.2.3 Audio Description or Media Alternative (Prerecorded)</a></b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.2.4 (Web)</li> <li>10.2.4 (non-web document)</li> <li>11.2.1.4 (Software)</li> <li>11.2.2.4 (Closed Software)</li> <li>11.6.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>	<b>Not Applicable</b>	The web content does not include any time-based media.
2017 Section 508 <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>		
<b><a href="#">1.3.1 Info and Relationships</a></b> (Level A) Also applies to: EN 301 549 Criteria <ul style="list-style-type: none"> <li>9.2.7 (Web)</li> <li>10.2.7 (non-web document)</li> <li>11.2.1.7 (Software)</li> <li>11.2.2.7 (Closed Software) – Does not apply</li> <li>11.6.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul>	<b>Supports</b>	<p>All relationships can be programmatically determined. For example, inputs are marked as related to labels via the 'for' attribute (see below).</p> <pre> &lt;div class="formField"&gt; &lt;label title="Accept license terms" for="ACCEPT" class="formatted"&gt;Accept:&lt;/label&gt; &lt;input title="Accept license terms" name="ACCEPT" type="radio" id="ACCEPT" style="marginleft: 2em; width:12em;" /&gt; &lt;/div&gt; &lt;!-- end &lt;div class="formField"&gt; --&gt; </pre>

<ul style="list-style-type: none"> <li>602.3 (Support Docs)</li> </ul>		
<p><b><u>1.3.2 Meaningful Sequence</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.8 (Web)</li> <li>10.2.8 (non-web document)</li> <li>11.2.1.8 (Software)</li> <li>11.2.2.8 (Closed Software) – Does not apply</li> <li>11.6.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>All meaningful sequences may be programmatically determined. As an example, inputs and labels are contained within the same division element and are listed in sequence. Testing has demonstrated the ability of assistive technology to determine the sequence.</p>
<p><b><u>1.3.3 Sensory Characteristics</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.9 (Web)</li> <li>10.2.9 (non-web document)</li> <li>11.2.1.9 (Software)</li> <li>11.2.2.9 (Closed Software) – Does not apply</li> <li>11.6.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>All instructions for operating content are provided in text format. No instructions rely solely on shape, size, visual location, etc.</p>
<p><b><u>1.4.1 Use of Color</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	<p><b>Supports</b></p>	<p>When a user enters an input field, the background color changes to indicate the field that the user is in. This is the only place where color is used as an indicator outside of normal</p>

<ul style="list-style-type: none"> <li>• 9.2.10 (Web)</li> <li>• 10.2.10 (non-web document)</li> <li>• 11.2.1.10 (Software)</li> <li>• 11.2.2.10 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>behavior, and the active user field is identified programmatically to assistive technology.</p>
<p><b><u>1.4.2 Audio Control</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.11 (Web)</li> <li>• 10.2.11 (non-web document)</li> <li>• 11.2.1.11 (Software)</li> <li>• 11.2.2.11 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Not Applicable</b></p>	<p>The web content does not include any audio sounds.</p>
<p><b><u>2.1.1 Keyboard</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.15 (Web)</li> <li>• 10.2.15 (non-web document)</li> <li>• 11.2.1.15 (Software)</li> <li>• 11.2.2.15 (Closed Software)</li> </ul>	<p><b>Supports</b></p>	<p>The entire web content supports pure keyboard operation. This operation does not require specific timings of keystrokes.</p>

<ul style="list-style-type: none"> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>2.1.2 No Keyboard Trap</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.16 (Web)</li> <li>• 10.2.16 (non-web document)</li> <li>• 11.2.1.16 (Software)</li> <li>• 11.2.2.16 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	All web components that can be entered via the keyboard can also be escaped by pressing either the Tab or Shift-Tab keys or other standard exit methods supplied by the browser and/or assistive technology.
<p><b><u>2.2.1 Timing Adjustable</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.17 (Web)</li> <li>• 10.2.17 (non-web document)</li> <li>• 11.2.1.17 (Software)</li> <li>• 11.2.2.17 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p>	<b>Not Applicable</b>	The web content does not set any time limits.

<ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>2.2.2 Pause, Stop, Hide</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.18 (Web)</li> <li>• 10.2.18 (non-web document)</li> <li>• 11.2.1.18 (Software)</li> <li>• 11.2.2.18 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Not Applicable</b>	The web content does not include any moving, blinking, scrolling, or auto-updating information.
<p><b><u>2.3.1 Three Flashes or Below Threshold</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.19 (Web)</li> <li>• 10.2.19 (non-web document)</li> <li>• 11.2.1.19 (Software)</li> <li>• 11.2.2.19 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Not Applicable</b>	The web content does not include any flashing content. The only content that changes background color is the field in which the user is active. The rate at which the user navigates the fields is under complete control of the user.

<p><b><u>2.4.1 Bypass Blocks</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.20 (Web)</li> <li>• 10.2.20 (non-web document) – Does not apply</li> <li>• 11.2.1.20 (Software) – Does not apply</li> <li>• 11.2.2.20 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p><b>Not Applicable</b></p>	<p>The web content only provides data that is contained within each page, not repeated across multiple pages.</p>
<p><b><u>2.4.2 Page Titled</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.21 (Web)</li> <li>• 10.2.21 (non-web document)</li> <li>• 11.2.1.21 (Software) - Does not apply</li> <li>• 11.2.2.21 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>The web content consists of three web pages, each of which have a title that describes the purpose. These are, “Desktop Launch Portal”, “Download Java Runtime”, and “Documentation Repository”.</p>
<p><b><u>2.4.3 Focus Order</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p>	<p><b>Supports</b></p>	<p>Web pages are navigated sequentially by tabbing through the various inputs &amp; labels. The components receive keyboard focus in the same order in which they are presented visually.</p>

<ul style="list-style-type: none"> <li>• 9.2.22 (Web)</li> <li>• 10.2.22 (non-web document)</li> <li>• 11.2.1.22 (Software)</li> <li>• 11.2.2.22 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>2.4.4 Link Purpose (In Context)</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.23 (Web)</li> <li>• 10.2.23 (non-web document)</li> <li>• 11.2.1.23 (Software)</li> <li>• 11.2.2.23 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>All link elements provide a purpose both through the link text itself and the title attribute. See below example.</p> <pre>&lt;div class="left"&gt; &lt;a href="DesktopLauncher.jnlp" title="Launch the OpenFox Desktop" class="blankLink"&gt; &lt;span class="site"&gt;Launch the OpenFox Desktop&lt;/span&gt; &lt;/a&gt; &lt;/div&gt;</pre>
<p><b><u>3.1.1 Language of Page</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.27 (Web)</li> <li>• 10.2.27 (non-web document)</li> <li>• 11.2.1.27 (Software)</li> <li>• 11.2.2.27 (Closed Software)</li> </ul>	<p><b>Supports</b></p>	<p>The “lang” attribute on the html tag reports that each web page is in English.</p>

<ul style="list-style-type: none"> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>3.2.1 On Focus</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.29 (Web)</li> <li>• 10.2.29 (non-web document)</li> <li>• 11.2.1.29 (Software)</li> <li>• 11.2.2.29 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	There is no context change when a component receives focus.
<p><b><u>3.2.2 On Input</u></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.30 (Web)</li> <li>• 10.2.30 (non-web document)</li> <li>• 11.2.1.30 (Software)</li> <li>• 11.2.2.30 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p>	<b>Supports</b>	There is no context change upon changing any user interface component.

<ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><a href="#">3.3.1 Error Identification</a></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.33 (Web)</li> <li>• 10.2.33 (non-web document)</li> <li>• 11.2.1.33 (Software)</li> <li>• 11.2.2.33 (Closed Software)</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<p>The only item requiring user input is the Java runtime download page. The user must indicate whether they accept or decline the license agreement terms. If the user has not accepted the terms, and clicks the button to download, then the user is notified via a dialog message. See below example.</p> 
<p><b><a href="#">3.3.2 Labels or Instructions</a></b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.34 (Web)</li> <li>• 10.2.34 (non-web document)</li> <li>• 11.2.1.34 (Software)</li> <li>• 11.2.2.34 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<p>Labels are provided for every input field. See below example.</p> <pre>&lt;div class="formField"&gt; &lt;label title="Accept license terms" for="ACCEPT" class="formatted"&gt;Accept:&lt;/label&gt; &lt;input title="Accept license terms" name="ACCEPT" type="radio" id="ACCEPT" style="marginleft: 2em; width:12em;"/&gt; &lt;/div&gt; &lt;!-- end &lt;div class="formField"&gt; --&gt;</pre>


<p><b>4.1.1 Parsing</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.37 (Web)</li> <li>• 10.2.37 (non-web document)</li> <li>• 11.2.1.37 (Software)</li> <li>• 11.2.2.37 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>The web pages are implemented using the XHTML strict standard. Start and end tags are a requirement of this standard. The pages meet all requirements of this standard and the pages pass the tests of W3C standard validation tools. See below example.</p> <pre>&lt;!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Strict//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-strict.dtd"&gt;</pre>
<p><b>4.1.2 Name, Role, Value</b> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.38 (Web)</li> <li>• 10.2.38 (non-web document)</li> <li>• 11.2.1.38 (Software)</li> <li>• 11.2.2.38 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>The names and roles of all links can be programmatically determined by both the link text and the title attribute. The radio buttons for user input are standard HTML form input controls; the names are identified via the name attribute, the role via the title attribute, and the value is determined via standard HTML form input methods. All buttons are standard HTML form inputs; the name and role may be determined via the name and title attributes. See below example.</p> <pre>&lt;a href="DesktopLauncher.jnlp" title="Launch the OpenFox Desktop" class="blankLink"&gt;Launch the OpenFox Desktop&lt;/a&gt; &lt;input title="Accept license terms" name="ACCEPT" type="radio" id="ACCEPT" style="marginleft: 2em; width: 12em;" /&gt;</pre>


**Table 2: Success Criteria, Level AA**

Criteria	Conformance Level	Remarks and Explanations
<p><b><u>1.2.4 Captions (Live)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.5 (Web)</li> <li>• 10.2.5 (non-web document)</li> <li>• 11.2.1.5 (Software)</li> <li>• 11.2.2.5 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	Not Applicable	The web content does not include any live audio content.
<p><b><u>1.2.5 Audio Description (Prerecorded)</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.6 (Web)</li> <li>• 10.2.6 (non-web document)</li> <li>• 11.2.1.6 (Software)</li> <li>• 11.2.2.6 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> </ul>	Not Applicable	The web content does not include any prerecorded video content.

<ul style="list-style-type: none"> <li>602.3 (Support Docs)</li> </ul> <p><b>1.4.3 Contrast (Minimum)</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>9.2.12 (Web)</li> <li>10.2.12 (non-web document)</li> <li>11.2.1.12 (Software)</li> <li>11.2.2.12 (Closed Software) – Does not apply</li> <li>11.6.2 (Authoring Tool)</li> <li>12.1.2 (Product Docs)</li> <li>12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>501 (Web)(Software)</li> <li>504.2 (Authoring Tool)</li> <li>602.3 (Support Docs)</li> </ul>	<b>Supports</b>	All color combinations meet the minimum contrast requirements (see below).
---	-----------------	--

The web content includes both blue text on a white background and black text on a white background. The colors used, contrast ratios, and compliance with WCAG 2 standards are shown below.



			
<p><b>1.4.4 Resize text</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.13 (Web)</li> <li>• 10.2.13 (non-web document)</li> <li>• 11.2.1.13 (Software)</li> <li>• 11.2.2.13 (Closed Software)</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>The web content uses the CSS standards for text height. The text height is in the complete control of the end user and may be adjusted to 500% without loss of functionality.</p>	
<p><b>1.4.5 Images of Text</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.14 (Web)</li> <li>• 10.2.14 (non-web document)</li> <li>• 11.2.1.14 (Software)</li> <li>• 11.2.2.14 (Closed Software) – Does not apply</li> </ul>	<p><b>Not Applicable</b></p>	<p>The web content uses no images of text in lieu of text. All text content is included as pure text.</p>	

<ul style="list-style-type: none"> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b><u>2.4.5 Multiple Ways</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.24 (Web)</li> <li>• 10.2.24 (non-web document) – Does not apply</li> <li>• 11.2.1.24 (Software) – Does not apply</li> <li>• 11.2.2.24 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<b>Not Applicable</b>	<p>The web content is extremely simple. It contains a landing page, from which the user launches the Desktop application, a page to download the Java Runtime Environment, and a page containing user manuals and documentation. There is no navigation other than back to the landing page once a user gets to the end purpose of their visit.</p>
<p><b><u>2.4.6 Headings and Labels</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.25 (Web)</li> <li>• 10.2.25 (non-web document)</li> <li>• 11.2.1.25 (Software)</li> <li>• 11.2.2.25 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p>	<b>Supports</b>	<p>All labels are specific descriptive elements for input elements. All headings are descriptive for where the user is and what they are doing. See below examples.</p> <p><b>Example of a label</b>  <code>&lt;label title="User ID:" for="USERID" class="formatted"&gt;User ID:&lt;/label&gt;</code></p> <p><b>Example of a heading</b>  <code>&lt;h2&gt;OpenFox Desktop Launch Portal&lt;/h2&gt;</code></p>

<ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul> <p><b>2.4.7 Focus Visible</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.26 (Web)</li> <li>• 10.2.26 (non-web document)</li> <li>• 11.2.1.26 (Software)</li> <li>• 11.2.2.26 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		
<p><b>3.1.2 Language of Parts</b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.28 (Web)</li> <li>• 10.2.28 (non-web document)</li> <li>• 11.2.1.28 (Software) – Does not apply</li> <li>• 11.2.2.28 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<p><b>Supports</b></p>	<p>The web content does not interfere with the browser's standard method of indicating keyboard focus. The web content does change the background color of focusable elements when the user has navigated to the element; however this does not interfere with the visibility of the focus.</p>

<p><b><u>3.2.3 Consistent Navigation</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.31 (Web)</li> <li>• 10.2.31 (non-web document) – Does not apply</li> <li>• 11.2.1.31 (Software) – Does not apply</li> <li>• 11.2.2.31 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p><b>Supports</b></p>	<p>There are no navigational mechanisms that are repeated on multiple web pages. There is only the landing page launch portal and two subpages. Navigation from the landing page to either of the two subpages is accomplished by clicking the appropriate link. Navigation back to the landing page from either subpage is performed by using the browser's Back function.</p>
<p><b><u>3.2.4 Consistent Identification</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.32 (Web)</li> <li>• 10.2.32 (non-web document) – Does not apply</li> <li>• 11.2.1.32 (Software) – Does not apply</li> <li>• 11.2.2.32 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software) – Does not apply to non-web software</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs) – Does not apply to non-web docs</li> </ul>	<p><b>Not Applicable</b></p>	<p>There are no components that have the same functionality within the set of three web pages.</p>
<p><b><u>3.3.3 Error Suggestion</u></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.35 (Web)</li> </ul>	<p><b>Supports</b></p>	<p>The only user input is whether or not the user agrees to the terms of the Java Runtime Environment license agreement. The page does not suggest that the user</p>

<ul style="list-style-type: none"> <li>• 10.2.35 (non-web document)</li> <li>• 11.2.1.35 (Software)</li> <li>• 11.2.2.35 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>		<p>agrees to the terms, as this would jeopardize the purpose of the content.</p>
<p><b><a href="#">3.3.4 Error Prevention (Legal, Financial, Data)</a></b> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> <li>• 9.2.36 (Web)</li> <li>• 10.2.36 (non-web document)</li> <li>• 11.2.1.36 (Software)</li> <li>• 11.2.2.36 (Closed Software) – Does not apply</li> <li>• 11.6.2 (Authoring Tool)</li> <li>• 12.1.2 (Product Docs)</li> <li>• 12.2.4 (Support Docs)</li> </ul> <p>2017 Section 508</p> <ul style="list-style-type: none"> <li>• 501 (Web)(Software)</li> <li>• 504.2 (Authoring Tool)</li> <li>• 602.3 (Support Docs)</li> </ul>	<b>Supports</b>	<p>The only legal commitment presented by the web content is the standard Oracle license agreement for Java. This is presented in what is commonly referred to as a 'click through' license. User agreement to the terms simply allows the user to download the Java installer; this agreement is not stored or submitted to any other system.</p>

**Table 3: Success Criteria, Level AAA**

Notes: CPI has adopted the standards of level A and level AA. Level AAA standards are not evaluated.

## 2017 Section 508 Report

## Chapter 3: Functional Performance Criteria (FPC)

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Supports	<p>OpenFox® Desktop has been thoroughly tested with the JAWS screen reading software. This technology enables users who are completely blind to access the full functionality of the system. Users at several locations of CPI's state government customers use the JAWS software to access OpenFox® Desktop on a daily basis. Below is a screenshot of Desktop showing the JAWS compatibility mode configuration</p>
		<p><b>Example of support for (302.1)</b></p> <p><b>Accessibility Preferences</b></p> <div data-bbox="882 816 1917 1008"> <div data-bbox="882 816 1368 1008"> <p><b>Enable Accessibility</b> Checking this box will enable the full accessibility features of OpenFox Desktop. Many accessibility applications, such as screen reader utilities, may not fully work unless this box is checked.</p> <p><input checked="" type="checkbox"/> Enable Accessibility Mode</p> </div> <div data-bbox="1389 816 1917 1008"> <p><b>Screen Reader Compatibility Mode</b> If you are using the JAWS screen reader software, then please select the "Jaws" item below. If you are using some other screen reader software, then please select the "Normal" item below.</p> <p>Jaws Mode ▾</p> </div> </div>
302.2 With Limited Vision	Supports	<p>OpenFox® Desktop allows users to drastically enlarge all fonts used in the application. Desktop does fully support the use of Assistive Technology for visually impaired users. Please see the response for (302.1).</p>
302.3 Without Perception of Color		<p>When a user enters an input field, the background color changes to indicate the field that the user is in. The active user field is identified programmatically to assistive technology. Color is also used to identify certain messages such as errors, NCIC hit responses, and hit confirmations from other agencies. In addition to color, icons are used to identify the different types of</p>

		messages and responses with the text description programmatically passed to assistive technology.
302.4 Without Hearing	<b>Supports</b>	There is no mode of operation that requires user hearing. The default mode of operation meets this requirement. Audio is never used to convey information. Audio is solely used as an enhancement to other forms of user feedback. For example, the system emits a beep when the user attempts to enter a letter into a date of birth field.
302.5 With Limited Hearing	<b>Not Applicable</b>	Audio information is never important for the use of OpenFox® Desktop. The default mode of operation meets this requirement.
302.6 Without Speech	<b>Not Applicable</b>	Desktop does not require user speech. The default mode of operation meets this requirement.
302.7 With Limited Manipulation	<b>Supports</b>	The default mode of operation meets this requirement. OpenFox® Desktop never requires simultaneous actions. The proposed system is completely functional and accessible solely via the use of a keyboard.
302.8 With Limited Reach and Strength	<b>Supports</b>	The default mode of operation meets this requirement. The proposed system is completely functional and accessible solely via the use of a keyboard.
302.9 With Limited Language, Cognitive, and Learning Abilities	<b>Not Applicable</b>	The OpenFox® Desktop application does not require a higher level of ability in regards to language, cognitive, and learning, other than those required by the CJIS security policy.

## Chapter 4: Hardware

Notes: OpenFox® Desktop is a software application consisting of a rich desktop application and a collection of web content to support the application. It does not include any tangible telecommunications products, video or multimedia products, self-contained closed products, or desktop and portable computers. Therefore, accessibility standards listed in this section do not apply.

## Chapter 5: Software

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
<b>502 Interoperability with Assistive Technology</b>	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	<b>Supports</b>	Desktop does not interfere with keyboard or mouse accessibility features built into the operating system. The application does not interfere with mouse keys, toggle keys, sticky keys, or filter keys.
502.2.2 No Disruption of Accessibility Features	<b>Supports</b>	Desktop does not interfere with keyboard or mouse accessibility features built into the operating system. The application does not interfere with mouse keys, toggle keys, sticky keys, or filter keys.
<b>502.3 Accessibility Services</b>	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	<b>Supports</b>	Desktop provides sufficient information about user interface objects through the use of the Java™ Accessibility API. Text labels are associated with all controls, objects, icons, and significant images.
502.3.2 Modification of Object Information		All objects that are able to be set by the user can also be set programmatically including through assistive technology.
502.3.3 Row, Column, and Headers	<b>Supports with Exceptions</b>	The application provides equivalent accessibility oriented contrast, color selections, and font size settings. User display settings are stored at the central site message switching system for each individual end user. A user's settings will be preserved independent of which physical device is being used. The application provides several different font sizes and several different color schemes, including high contrast schemes designed to increase accessibility.
502.3.4 Values	<b>Supports</b>	Desktop provides sufficient information about user interface objects through the use of the Java™ Accessibility API. Text labels are associated with all controls, objects, icons, and significant images.
502.3.5 Modification of Values		All values that are able to be set by the user can also be

		set programmatically including through assistive technology such as voice input.
502.3.6 Label Relationships	<b>Supports</b>	<p>Desktop supports keyboard equivalents for all actions. The application has been developed using the Java™ Swing graphical user interface library. The library provides standard keyboard equivalents for actions such as moving keyboard focus, accessing pull down menus, and activating buttons. Furthermore, the application provides many keyboard shortcuts for quickly navigating the user interface.</p> <p>Desktop also provides full accessibility for all electronic forms or screens. All application forms support the applicable requirements as the rest of the application. All form elements are navigable solely via the keyboard. Information of current location and context is provided to assistive technology tools via the Java™ Accessibility API.</p> <p>The only electronic form presented in the web content is the Oracle end user license agreement for Java. The form has two radio buttons to accept or decline the terms prior to downloading the Java runtime environment installation program. This form does allow users to access the information, field elements, and functionality via Assistive Technology. Furthermore, this form is only required to be completed when the application is installed. It is not required to be completed for normal application use.</p>
502.3.7 Hierarchical Relationships	<b>Supports</b>	Desktop supports keyboard equivalents for all actions. The application has been developed using the Java™ Swing graphical user interface library. The library provides standard keyboard equivalents for actions such as moving

		<p>keyboard focus, accessing pull down menus, and activating buttons. Furthermore, the application provides many keyboard shortcuts for quickly navigating the user Interface.</p> <p>Desktop also provides full accessibility for all electronic forms or screens. All application forms support the applicable requirements as the rest of the application. All form elements are navigable solely via the keyboard. Information of current location and context is provided to assistive technology tools via the Java™ Accessibility API.</p> <p>The only electronic form presented in the web content is the Oracle end user license agreement for Java. The form has two radio buttons to accept or decline the terms prior to downloading the Java runtime environment installation program. This form does allow users to access the information, field elements, and functionality via Assistive Technology. Furthermore, this form is only required to be completed when the application is installed. It is not required to be completed for normal application use.</p>
502.3.8 Text	<b>Supports</b>	In Desktop, textual information is provided through standard system function calls or through the Java™ Accessibility API which supports interaction with assistive technology.
502.3.9 Modification of Text		All text that are able to be set by the user can also be set programmatically including through assistive technology such as voice-to-text.
502.3.10 List of Actions (new)	<b>Supports</b>	Desktop supports keyboard equivalents for all actions. The application has been developed using the Java™ Swing graphical user interface library. The library provides standard keyboard equivalents for actions such as moving

		keyboard focus, accessing pull down menus, and activating buttons. Furthermore, the application provides many keyboard shortcuts for quickly navigating the user interface.
502.3.11 Actions on Objects	<b>Supports</b>	All actions on objects may be performed programmatically or through the use of assistive technology. For example, combo boxes may be opened by pressing Enter or the Down Array or by using voice command with assistive technology.
502.3.12 Focus Cursor	<b>Supports</b>	Desktop provides a visual indicator which moves among the user interface components as the keyboard focus changes is provided. The focus indicator is programmatically exposed to assistive technology. The current keyboard focus is exposed through the Java™ Accessibility API.
502.3.13 Modification of Focus Cursor	<b>Supports</b>	The focus location, selection state and text insertion point are programmatically available to assistive technology, and they may be manipulated by assistive technology, for example by speech recognition.
502.3.14 Event Notification	<b>Supports</b>	Desktop uses the Java Accessibility API to notify the assistive technology when events occur that change the UI objects. This includes focus changes, the caret moving, selection changes, components that are added/removed from the screen, and when a component's state, value, name, description or boundary changes. For example, the assistive technology is notified when new messages arrive in the user's mailbox.
502.4 Platform Accessibility Features	<b>Supports</b>	Desktop does not interfere with keyboard or mouse accessibility features built into the operating system. The operating system accessibility settings with mouse keys, toggle keys, sticky keys, or filter keys are honored.
<b>503 Applications</b>	Heading cell – no response required	Heading cell – no response required
503.2 User Preferences	<b>Supports with Exceptions</b>	The application provides equivalent accessibility oriented

		contrast, color selections, and font size settings. User display settings are stored at the central site message switching system for each individual end user. A user's settings will be preserved independent of which physical device is being used. The application provides several different font sizes and several different color schemes, including high contrast schemes.
503.3 Alternative User Interfaces	<b>Not applicable</b>	OpenFox® Desktop does not provide an alternative UI that functions as assistive technology. It supports interaction with assistive technology.
<b>503.4 User Controls for Captions and Audio Description</b>	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	<b>Not Applicable</b>	OpenFox® Desktop does not include video or multimedia products.
503.4.2 Audio Description Controls	<b>Not Applicable</b>	OpenFox® Desktop does not include video or multimedia products.
<b>504 Authoring Tools</b>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter "not applicable")	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	<b>Not Applicable</b>	OpenFox® Desktop does not include video or multimedia products.
504.2.2 PDF Export	<b>Not Applicable</b>	OpenFox® Desktop does not include video or multimedia products.
504.3 Prompts	<b>Not Applicable</b>	OpenFox® Desktop does not include video or multimedia products.
504.4 Templates	<b>Not Applicable</b>	OpenFox® Desktop does not include video or multimedia products.

## Chapter 6: Support Documentation and Services


Criteria	Conformance Level	Remarks and Explanations
----------	-------------------	--------------------------

<b>601.1 Scope</b>	Heading cell – no response required	Heading cell – no response required
<b>602 Support Documentation</b>	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	<b>Supports with exceptions</b>	End users have access to a description of the accessibility and compatibility features in both PDF and HTML formats. If other formats are required, then CPI will provide them at no additional cost so long as the conversion process does not incur significant expenses.
602.3 Electronic Support Documentation	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
602.4 Alternate Formats for Non-Electronic Support Documentation	<b>Supports with exceptions</b>	CPI provides product support documentation in both PDF and HTML. If other formats are required, then CPI will provide them at no additional cost so long as the conversion process does not incur significant expenses.
<b>603 Support Services</b>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	<b>Supports with exceptions</b>	End users have access to a description of the accessibility and compatibility features in both PDF and HTML formats. If other formats are required, then CPI will provide them at no additional cost so long as the conversion process does not incur significant expenses.
603.3 Accommodation of Communication Needs		

## EN 301 549 Report

Notes: These standards apply to public procurement of ICT products and services in Europe. Therefore, the accessibility standards listed in this section do not apply to OpenFox® Desktop, however they have been left here for completeness.

## Chapter 4: 4.2 Functional Performance Statements (FPS)

Criteria	Conformance Level	Remarks and Explanations
4.2.1 Usage without vision	Supports	OpenFox® Desktop has been thoroughly tested with the JAWS screen reading software. This technology enables users who are completely blind to access the full functionality of the system. Users at several locations of CPI's 29 state government customers use the JAWS software to access OpenFox® Desktop on a daily basis. Below is a screenshot of Desktop showing the JAWS compatibility mode configuration.
	<b>Example of support for 4.2.1</b> 	
4.2.2 Usage with limited vision	Supports	OpenFox® desktop allows users to drastically enlarge all fonts used in the application; however desktop does not provide a method of audio visual acuity. Desktop does fully support the user of Assistive Technology for visually impaired users. Please see the response for 4.2.1.
4.2.3 Usage without perception of colour		

4.2.4 Usage without hearing	<b>Supports</b>	There is no mode of operation that requires user hearing. The default mode of operation meets this requirement. Audio is never used to convey information. Audio is solely used as an enhancement to other forms of user feedback. For example, the system emits a beep when the user attempts to enter a letter into a date of birth field.
4.2.5 Usage with limited hearing	<b>Not Applicable</b>	Audio information is never important for the user of OpenFox® Desktop. The default mode of operation meets this requirement.
4.2.6 Usage without vocal capability	<b>Not Applicable</b>	Desktop does not require user speech. The default mode of operation meets this requirement.
4.2.7 Usage with limited manipulation or strength	<b>Supports</b>	The default mode of operation meets this requirement. OpenFox® Desktop never requires simultaneous actions. The proposed system is completely functional and accessible solely via the use of a keyboard.
4.2.8 Usage with limited reach	<b>Supports</b>	The default mode of operation meets this requirement. The proposed system is completely functional and accessible solely via the use of a keyboard.
4.2.9 Minimize photosensitive seizure triggers		
4.2.10 Usage with limited cognition	<b>Not Applicable</b>	The OpenFox® Desktop application does not require a higher level of ability in regards to language, cognitive, and learning, other than those required by the CJIS security policy.
4.2.11 Privacy		

## **Chapter 5: Generic Requirements**

Notes: OpenFox® Desktop is a software application consisting of a rich desktop application and a collection of web content to support the application. It does not include any self contained closed products. Therefore, accessibility standards listed in this section do not apply.

## **Chapter 6: ICT with Two-Way Voice Communication**

Notes: OpenFox® Desktop is a software application consisting of a rich desktop application and a collection of web content to support the application. It does not include any telecommunications products, video or multimedia products. Therefore, accessibility standards listed in this section do not apply.

## **Chapter 7: ICT with Video Capabilities**

Notes: OpenFox® Desktop is a software application consisting of a rich desktop application and a collection of web content to support the application. It does not include any telecommunications products, video or multimedia products. Therefore, accessibility standards listed in this section do not apply.

## **Chapter 8: Hardware**

Notes: OpenFox® Desktop is a software application consisting of a rich desktop application and a collection of web content to support the application. It does not include any hardware products. Therefore, accessibility standards listed in this section do not apply.

## **Chapter 9: Web (see WCAG 2.0 section)**

## **Chapter 10: Non-web Documents**

Criteria	Conformance Level	Remarks and Explanations
<b>10.1 General</b>	Heading cell – no response required	Heading cell – no response required
<b>10.2 Document success criteria</b>	Heading cell – no response required	Heading cell – no response required
10.2.1 through 10.2.38	See <a href="#">WCAG 2.0</a> section	See information in WCAG section

10.2.39 Caption positioning	Not Applicable	OpenFox® Desktop includes no video or multimedia products.
10.2.40 Audio description timing	Not Applicable	OpenFox® Desktop includes no video or multimedia products.

## Chapter 11: Software

Notes: The accessibility standards listed in this section are similar to Chapter 5 above. Please reference chapter 5 for evaluation responses.

## Chapter 12: Documentation and Support Services

Criteria	Conformance Level	Remarks and Explanations
<b>12.1 Product documentation</b>	Heading cell – no response required	Heading cell – no response required
12.1.1 Accessibility and compatibility features	<b>Supports</b>	End users have access to a description of the accessibility and compatibility features in both PDF and HTML formats. If other formats are required, then CPI will provide them at no additional cost so long as the conversion process does not incur significant expenses.
12.1.2 Accessible documentation	See <a href="#">WCAG 2.0</a> section	See information in WCAG section
<b>12.2 Support Services</b>	Heading cell – no response required	Heading cell – no response required
12.2.2 Information on accessibility and compatibility features	<b>Supports</b>	End users have access to a description of the accessibility and compatibility features in both PDF and HTML formats. If other formats are required, then CPI will provide them at no additional cost so long as the conversion process does not incur significant expenses.

12.2.3 Effective communication	<b>Supports</b>	CPI's industry leading support accommodates the communications needs of end-users with disabilities. CPI has strong experience in working with such users across CPI's law enforcement presence in 29 states and 6 federal agencies.
12.2.4 Accessible documentation	See <a href="#">WCAG 2.0</a> section	See information in WCAG section

## **Chapter 13: ICT Providing Relay or Emergency Service Access**

Notes: OpenFox® Desktop is a software application consisting of a rich desktop application and a collection of web content to support the application. It does not include relay or emergency service access. Therefore, accessibility standards listed in this section do not apply..

## **Legal Disclaimer (Computer Projects of Illinois, Inc.)**

The above general information describes CPI's current view of the Product's conformance with certain standards/guidelines relating to accessibility based on CPI's current interpretation thereof; and, the "Remarks and Explanations" contained herein as of the date on page one (1) of this report.

This document's content is subject to change without notice. CPI has no obligation to provide any updated version of this report.

**CPI MAKES NO WARRANTIES, EXPRESS OR IMPLIED, IN THIS DOCUMENT, INCLUDING, WITHOUT LIMITATION THAT THIS DOCUMENTS IS ERROR FREE.**

This document is not a contract nor does it relieve anyone using or intending to use the Product from conducting its own due diligence upon which it shall solely rely. Any customization of the Product voids this report, together with any and all conformance descriptions contained in it.